



## CAROLINA VINYL PRODUCTS

PRODUCT OFFERINGS:

VINYL POST WRAP

SEPTEMBER 2012

CAROLINA VINYL PRODUCTS  
608 QUEEN STREET  
PO BOX 1137  
GRIFTON, NC 28530  
P: 252.524.5000  
F: 252.524.0175  
[www.carolinavp.com](http://www.carolinavp.com)

TABLE OF CONTENTS:

	Vinyl Post Wrap	
Product Categories		1
Description		1
Quality Assurance		1
Submittals		1
	Manufacturer's Specifications	
General		2
4-Piece Corner Post Wrap		2
8-Piece Modulus Post Wrap		2
Warranty		2
Materials		2
Dimensions		2
Installation		2
	Product Specifications	
Materials		
4-Piece Corners		3
8-Piece Corner/Inserts		3
Configurations		4
Advertisement		5
Installation Instructions		
Modulus Post Wrap		6

## VINYL POST WRAP

### PRODUCT CATEGORIES:

- 4-Piece Corner Post Wrap
- 8-Piece Modulus Post Wrap

### DESCRIPTION:

- Vinyl Post Wrap system – 4-piece or 8-piece
- Designed to wrap treated wood post in variety of configurations

### QUALITY ASSURANCE:

#### Vinyl Railing:

- Virgin PVC Compound—13343—ASTM D-1784
- Tensile Strength—6,591 psi—ASTM D-138
- Izod Impact Strength—3.24 at 73.4°F; 2.41 at 32°F—ASTM D-256
- Tensile Modulus 374,528 psi—ASTM D-638
- Deflection Temperature—157.5°F—ASTM D-648
- Thermal Expansion— $3.20 \times 10^{-5}$  in/in °F

### SUBMITTALS:

- Manufacturer's technical literature w/ installation instructions
- Material samples upon request

## MANUFACTURER'S SPECIFICATIONS

### GENERAL:

4-Piece Corner Post Wrap  
4 Corner pieces designed to interlock/snap into place

8-Piece Modulus Post Wrap  
4 Inserts slide into 4 Corner pieces to form wrap

Warranty  
See manufacturer's warranty

### MATERIALS:

Post Wrap components constructed w/ materials made of rigid polyvinyl chloride (PVC) formulated to resist impact & ultraviolet (UV) stabilization.

### DIMENSIONS:

<b>Cross Section</b>	<b>Wall Thickness</b>	<b>Corner Radius</b>
<b>4-Piece</b>		
4" Corner	0.095"	0.125"
6" Corner	0.095"	0.125"
<b>8-Piece</b>		
Corner	0.070"	0.125"
4" Insert	0.070"	N/A
6" Insert	0.070"	N/A
8" Insert	0.070"	N/A
10" Insert	0.070"	N/A
12" Insert	0.070"	N/A


### INSTALLATION:

Both 4-Piece & 8-Piece Post Wrap Systems are designed to snap into place without need of nails, screws or glue. Trim is available to complete installation.

# PRODUCT SPECIFICATIONS - MATERIALS






## 4-PIECE CORNERS

---





## 8-PIECE CORNER & INSERTS

---



PRODUCT SPECIFICATIONS – CONFIGURATIONS

<b>4-Piece</b>	
4" x 4" x 10'	(4) 4" Corners
6" x 6" x 10'	(4) 6" Corners
<b>8-Piece</b>	
4" x 4" x 10'	(4) Corners & (4) 4" Inserts
6" x 6" x 10'	(4) Corners & (4) 6" Inserts
8" x 8" x 10'	(4) Corners & (4) 8" Inserts
10" x 10" x 10'	(4) Corners & (4) 10" Inserts
12" x 12" x 10'	(4) Corners & (4) 12" Inserts
4" x 6" x 10'	(4) Corners, (2) 4" & (2) 6" Inserts
6" x 8" x 10'	(4) Corners, (2) 6" & (2) 8" Inserts
8" x 10" x 10'	(4) Corners, (2) 8" & (2) 10" Inserts
10" x 12" x 10'	(4) Corners, (2) 10" & (2) 12" Inserts



## ADVERTISEMENT



# MODULUS POST WRAP SYSTEM

The Modulus Post Wrap System is easy to install. Measure the length of your post, cut  $\frac{1}{4}$ " less than the length of the post, slide insert into corner stopper & snap into place.

- The Modulus Post Wrap System of interchangeable Side Inserts allow for a clean & easy installation. No nails, screws or glue are needed. Just wrap & snap!
- The Modulus Post Wrap System is designed to handle many post configurations - rectangular or square - from  $3\frac{1}{4}$ " up to  $12\frac{1}{4}$ " wide.
- The Modulus Post Wrap System is extruded from the highest quality PVC resins in a choice of three colors - white, tan, adobe. Like all CVP exterior products, the Modulus Post Wrap System is impervious to insects & moisture & will never rot, split, splinter or decay. It will never need sanding, sealing or painting & is covered by a limited, lifetime, transferable warranty.
- The Modulus Post Wrap System can be customized with colors by mixing Corners with a second color of Inserts.


### MODULUS POST WRAP EXAMPLE CONFIGURATIONS



### MODULUS POST WRAP CORNER



### INTERCHANGABLE POST WRAP SIDE INSERTS





FOR MORE INFORMATION CAL 888.262.3362  
[www.carolinavp.com](http://www.carolinavp.com)

# INSTALLATION INSTRUCTIONS




## MODULUS POST WRAP INSTALLATION


1. Measure the distance of the post between the header and the floor and cut  $\frac{1}{4}$ " shorter. Do not alter the support post in any way.
2. Measure the width of each side of the post and select the appropriate Side Inserts. Cut the Modulus Postwrap Corners and Side Inserts separately to the measured length.  
**Do not assemble before cutting.**
3. Slide a Side Insert (A) into the Corner Stopper opening (B) of a corner piece. Repeat to assemble four Corner Assemblies in an "L" shape.



4. Connect two Corner Assemblies by inserting the side edge of one assembly into the serrated edge (C) of the other assembly. Do not push them fully together. Place the connected Corner Assemblies on the post first, and then push the assemblies together starting at the bottom of the post.



5. Repeat Step 4 on the opposite side of the post and then attach the two side assemblies, (E) to cover the entire post. Using a rubber mallet, start at the bottom of the post (F) and gently tap the corners to tighten the Postwrap and fully seat the sides to complete the installation.



Start at the bottom and snap together (F)



Completed Assembly

\*\*Also available to finish off installation are 4-piece trim skirts

FOR MORE INFORMATION CAL 888.262.3362  
[www.carolinavp.com](http://www.carolinavp.com)